

### Lexa®

Helps protect your eyes from the daily obstacles that can cause eye injuries such as metal fragments and chemicals.

- DX™ anti-fog lens coating.
- Adjustable length temples.
- Lens angle adjustment.
- Meets ANSI Z87.1 and CSA Z94.3 standards.



Part No. 15214



Part No.	Size	Frame Color	Lens Color
15152	Medium	Metallic slate	Clear
15153	Medium	Metallic slate	Gray
15154	Large	Metallic slate	Clear
15200	Medium	Black	Clear
15201	Medium	Black	Gray
15205	Medium	Blue	Gray
15210	Medium	Black	ARC-Block™
15211	Medium	Black	Green
15214	Medium	Black	Indoor/outdoor

### Lexa® with MinimlzeR™ Lens

The first “think film technology” safety eye wear designed to protect against “flash burn”

- DX™ anti-fog lens coating.
- Excellent visual acuity with good color recognition.
- Reduces infrared radiation by a minimum of 65%.
- Absorbs 99.9% of UV light.
- Meets ANSI Z87.1 and CSA Z94.3 standards.



Part No. 15250

Part No.	Size	Frame Color	Lens Color
15250	Medium	Black	Clear
Replacement Lens			
15251	Medium		Clear

### GoggleGear® for Lexa® Eye Wear

Converts Lexa® lens to the lightest, most comfortable splash goggle.

- Vent channels at top and bottom for improved air flow.
- Lighter weight than most goggles for improved comfort.
- Soft foam backing seals out particulates.
- DX™ anti-fog hard coat standard.
- Meets ANSI Z87.1 and CSA Z94.3 standards.



Part No. 16617

#### Assembled GoggleGear®

Part No.	Size	Frame Color	Lens Color
16615	Medium	Black	Clear
16616	Large	Black	Clear
16617	Medium	Black	Clear w/ strap
16618	Large	Black	Clear w/ strap
16610	Headband		

### BX Readers

- Adjustable soft tip temples feel good even after extended wear.
- Soft universal-fit nose bridge.
- High impact polycarbonate lens blocks 99.9% of UV rays.
- Three lens angles for custom fit.
- Available in clear or gray +1.50, +2.0, and +2.5 diopter lenses.
- Meets ANSI Z87.1 standards.



Part No. 11377

Part No.	Frame Color	Lens Color	Diopter
11374	Silver/black	Clear	1.5
11375	Silver/black	Clear	2.0
11376	Silver/black	Clear	2.5
11377	Silver/black	Gray	1.5
11378	Silver/black	Gray	2.0
11379	Silver/black	Gray	2.5
11380	Black	Clear	Anti-fog

### MAXIM™

- Adjustable temple length.
- Patented 3-position pantascopic lens adjustment.
- Dual-injected cushion brow guard.
- Soft pivot universal-fit nose bridge.
- DX™ Anti-fog lens, hard coat.
- Superior orbital eye socket coverage.



Part No. 12289

Part No.	Frame Color	Lens Color
12289	Black adjustable temple	MinimlzeR™ Lens
12292	Black adjustable temple	IR 3.0
12293	Black adjustable temple	IR 5.0
13250	Black	Clear
13251	Black	Bronze
13252	Black	Indoor/outdoor
13253	Black	Amber

## Eye Protection

### Light Vision LED Spectacles

- Dual LED lights.
- Anti-fog lens.
- Filters 99.9% UV.
- Hands-free, ultra-bright and adjustable direct lighting.
- Long-life, replaceable CR2032 3V battery.
- Cushioned brow, nose bridge and temple tips.
- Includes micro-fiber storage bag and lanyard.
- Meets ANSI Z87.1 standards.



Part No. 11356



Part No. 11356

### Seepro® & Seepro Plus™

- DX™ anti-fog lens coating.
- Seepro Plus™ offers adjustable temples for a custom fit.
- Duralite® polycarbonate lenses absorb 99.9% of UV rays.
- Integrated side shields, brow and nose bridge.
- Meets ANSI Z87.1 and CSA-Z94.3 standards.
- Made in the U.S.A.



Part No. 15902

Part No.	Temple Color	Lens Color
15902	Black	Clear
15903	Black	Gray
15904	Blue	Clear
15957 Seepro Plus™	Black	Clear

### Virtua V4

- Sleek styling for both men and women.
- Lightweight - less than 1 oz.
- Contoured flexible temples for comfortable fit.
- Hard coat lens guards against scratching, static and chemical attack.
- Meets ANSI Z87.1 standards.



Part No. 11670

Part No.	Temple Color	Overmold Color	Lens Description
11670	Black	Gray	Clear Hard coat
11671	Black	Gray	Gray Hard coat
11672	Black	Gray	Anti-fog
11674	Black	Gray	Indoor/Outdoor Mirror

### Virtua V6

- Soft temple tips for all day comfort.
- Soft universal fit nose bridge.
- Durable polycarbonate lens construction.
- Lens absorbs 99.9% UV.
- Meets ANSI Z87.1 standards.



Part No. 11680

Part No.	Frame Color	Lens Color
11680	Black	Gray Hard coat
11681	Black	Clear Hard coat
11682	Black	Clear Anti-fog
11683	Black	Gray Anti-fog
11684	Black	Gray Anti-fog

### Virtua V9

- Same as Virtua V6 and includes:
- Clean, frameless design.
  - Adjustable temple lengths.



Part No. 11709

Part No.	Frame Color	Lens Color
11706	Black	Clear Hard coat
11707	Black	Gray Hard coat
11708	Black	Clear Anti-fog
11709	Black	Gray Anti-fog
11710	Black	Indoor/Outdoor mirror
11711	Black	Blue mirror

### Fectoids®

- DX™ anti-fog hard coat lens guards against fogging.
- Duralite® polycarbonate lenses absorb 99.9% of UV rays.
- Several lens tints and shades for any application.
- Meets ANSI Z87.1 and CSA-Z94.3 standards.
- Made in the U.S.A.



Part No. 16100

Part No.	Size	Frame Color	Lens Color
16100	Large	Black	Clear
16200	Medium	Black	Clear
16201	Medium	Dark Blue	Clear
16203	Medium	Red, White, Blue	Clear
16204	Medium	Black	Gray

### Fuel® Eye Wear

- Tough and durable nylon frames with two streamlined designs.
- Soft nose bridge and temple tips for added comfort.
- Hot colors and flared accents.
- Lanyard and micro fiber bag included.
- Meets ANSI Z87.1 standards.



Part No. 11640



Part No. 11652



Part No. 11654

Part No.	Frame Color	Lens Color
11640	Metallic sand	Red mirror
11641	Metallic silver	Blue mirror
11642	Blue	Indoor/outdoor mirror
11663	Burnt copper	Bronze
11664	Glacier white	Blue mirror

#### Fuel 2 (Anti-Fog)

11650	Metallic sand	Red mirror
11651	Metallic sand	Clear AF
11652	Silver	Blue mirror
11653	Silver	Clear AF
11654	Black	Gray AF

### Extreme Safety Eye Wear

- Lightweight & durable aluminum frames.
- Spring-hinge temples.
- Adjustable nose bridge.
- High impact polycarbonate lenses absorb 99.9% UV.
- Each pair includes a micro fiber bag and lanyard.
- Meets ANSI Z87.1 standards.



Part No. 11440



Part No. 11444



Part No. 11448

#### 100 Series

Part No.	Model No.	Frame Color	Lens Color
11440	OCC101	Silver	Blue mirror
11441	OCC102	Black	Red mirror
11442	OCC103	Black	Indoor/outdoor
11443	OCC104	Black	Clear AF

#### 200 Series

Part No.	Model No.	Frame Color	Lens Color
11444	OCC201	Silver	Blue mirror
11445	OCC202	Gray	Polarized
11446	OCC203	Black	Red mirror
11447	OCC204	Black	Clear AF

#### 300 Series

Part No.	Model No.	Frame Color	Lens Color
11448	OCC301	Black	Red Mirror
11449	OCC302	Silver	Blue mirror
11450	OCC303	Silver	Clear AF
11451	OCC304	Gray	Polarized

### Weld-Cool® Welding Filter Plates

- Made from lightweight, impact resistant Duralite® Polycarbonate.
- Coated with the exclusive DX™ anti-fog hard coat to minimize fogging, scratching, static and chemical attack, and to protect the gold coating.



Part No. 84910

Part No.	Description	Size
84910	Shade 10	2 x 4.25
84912	Shade 12	2 x 4.25

## Orange County Choppers™

### Safety Caps

- High density, polyethylene shell with OCC logo on front and back.
- Carbon fiber look.
- 4-point ratchet suspension with lightweight FlexGear™.
- Cushioned brow & height adjustment.
- Meets ANSI Z89.1, Type 1, Class G&C and complies with OSHA regulations.



Part No. 46140



Part No. 46141

Part No.	Model No.	Color
46140	HH140	Black
46141	HH141	Red

### Headgear

- Full face and crown protection.
- Black carbon fiber look.
- Patented, quick window replacement.
- Meets ANSI Z87.1.



Part No. 82785



Part No. 82786  
Part No. 82787

Part No.	Model No.
Without visor	
82784	HG101
With WP96 clear visor	
82785	HG102

### Replacement Visors

Part No.	Model No.	Color
82786	WP96	Clear
82787	WP96 C	Dark green

## Real Tree™ Camouflage Hard Hat

- Real Tree™ hardwoods HD® camouflage pattern.
- Soft cushioned, vented headband.
- 4-point ratchet suspension.
- UV protective finish.
- High density polyethylene shell.

Part No. RT HH149



Part No. RT HH149



## Hearing Protection

### E-A-R® Classic® - NRR 29

- Most popular earplug in the world.
- Moisture resistant dermatologically safe foam is non-irritating.
- The E-A-R Yellow color is your assurance of proven protection.
- 200 pairs per box in poly bag.



Part No. 310-1001



Part No.	Description
310-1001	Uncorded in pillow pack
311-1101	Corded in poly bag
312-1201	Uncorded in poly bag

### E-A-R UltraFit® - NRR 25

- Patented flange design gives the most comfortable fit of any reusable earplug.
- Conforms to oval shape of ear.
- Washable, promotes worker hygiene.
- No rolling or touching plug portion during insertion.
- Metal detectable version available.
- 100 pair per box (except 340-4002 - package of one) in poly bag.



Part No. 340-4003

Part No.	Description
340-4002	w/ cord & case
340-4003	Uncorded
340-4004	Corded
340-4007	Corded, metal detectable version

### E-A-Rsoft® Yellow Neon Blasts™ - NRR 33

- The world's softest earplugs.
- Self-adjusting foam provides low pressure with excellent attenuation.
- Dermatologically safe foam is non-irritating.
- 200 pair per box in poly bag.



Part No. 311-1252

Part No.	Description
311-1252	Corded, regular size
311-1253	Corded, large size
312-1252	Uncorded, regular size
312-1253	Uncorded, large size

### TaperFit 2® - NRR 32

- Self-adjusting foam provides low pressure with excellent attenuation.
- The E-A-R Yellow color is your assurance of proven protection.
- Softest and smoothest earplugs available today.
- Dermatologically safe foam is non-irritating to the skin.
- 200 pair per box in poly bag.



Part No. 312-1219

Part No.	Description
312-1219	Uncorded, regular size
312-1221	Uncorded, plus size
312-1223	Corded, regular size

### E-Z-Fit™ - NRR 28

- Softest and smoothest earplugs available today.
- Self-adjusting foam provides low pressure with excellent attenuation.
- The E-A-R® Yellow color is your assurance of proven protection.
- Dermatologically safe foam is non-irritating to the skin.
- 200 pairs per box in poly bag.



Part No. 312-1222

Part No.	Description
312-1208	Uncorded
312-1222	Corded

### Push-Ins™ - NRR 28

- Quick, clean and hygienic.
- EAR form™, foam comfort.
- 120 pairs per box in poly bag.



Part No. 318-1000

Part No.	Description	QTY
318-1000	Uncorded	100/bx
318-1001	Corded	100/bx
318-1002	Uncorded	200/bx
318-1003	Corded	200/bx

### Push-Ins with Grip-Rings - NRR 30

- Shaped for Comfort, Gripped for Fit.
- Easy fit with no roll down required.
- Foam softens with body heat.
- Grip Ring design to gently hug ear canal.



Part No. 318-1009

Part No.	Description	QTY
318-1009	Corded	200/bx



### Express® Pod Plugs® - NRR 25

- Eliminates the fear of hand-to-ear contamination.
- Soft flexible grips for easy insertion and removal.
- Slow recovery foam inserts easily, seats and stays in place.
- Designed for excellent attenuation on the job.
- 100 pairs per box in pillow pack.



Part No. 311-1114

Part No.	Description
311-2100	Uncorded
311-1114	Corded
311-1115	Corded w/ assorted color grips and cord

### E-A-Rsoft® FX™ - NRR 33

- Patented shape to more effectively fit in the ear canal.
- Soft comfortable foam.
- 200 pairs per box in poly bag.




Part No. 312-1260

Part No.	Description
312-1260	Corded
312-1261	Uncorded

### Caboflex® - NRR 20

- Conically shaped plugs provide a comfortable fit.
- No hinged band.
- Dermatologically safe plugs are non-irritating.
- Sold individually.



Part No. 320-2001

Part No.	Description
320-2001	Caboflex® semi-aural hearing protector
320-2004	Caboflex® replacement pods 10/pk

### EarCaps® - NRR 17

- EarCaps® provide a non-invasive comfortable fit.
- No hinged band.
- Dermatologically safe plugs are non-irritating.
- Sold individually.



Part No. 321-2101

Part No.	Description
321-2101	EarCaps® semi-aural hearing protector
321-2103	EarCaps® replacement caps 10/Pk

### Tattoo™ - NRR 32

- Cutting edge graphics.
- Popular tapered shape.
- Neon green color.
- All day comfort.
- 200 pair per box uncorded, 100 pair per box corded in poly bag.



Part No. P1100



Part No.	Description
P1100	Uncorded
P1101	Corded

### Skull Screws™ - NRR 30

- Metallic-look foam.
- Screw grip and twist to seal design.
- All day comfort.
- 120 pairs per box.



Part No. P1300

Part No.	Description
P1300	Uncorded
P1301	Corded

### E-A-Rsoft™ Yellow Neons® - NRR 33

- Self-adjusting foam provides low pressure with excellent attenuation.
- Dermatologically safe foam is non-irritating.
- Packaged one pair per package; 200 pairs per box in poly bag.



Part No. 311-1250

Part No.	Description
311-1250	Corded, regular size
311-1251	Corded, large size
312-1250	Uncorded, regular size
312-1251	Uncorded, large size

## Hearing Protection

### E-A-Rmuffs

- Can be worn over-the-head, behind-the-head, or under-the-chin.
- Made of durable, lightweight, non-conductive dielectric plastic.
- Excellent attenuation with ultimate comfort.



Part No. 330-3001



Part No.	Model No.	NRR
330-3001	Model 1000	20
330-3002	Model 3000	26
331-4000	Model 4000	27

### Optime 105

- For extreme noise levels up to 105 dB.
- Twin cup design minimizes resonance thus achieving maximum high and low frequency attenuation.
- CSA Class AL.



Part No. H10A



Part No.	Description	NRR
H10A	w/ headband	30
H10B	Behind-the-head	29

### Deluxe Performance Series

- Effective protection up to extreme noise levels.
- CSA Class A
- NRR 27

Part No. 0H7A



### Select Performance Series

- Universal, affordable protection.
- CSA Class A
- NRR 25

Part No. 0H9B



### Behind-the-Head

- Backband hearing protector
- Slim design for high comfort and continuous wear.
- NRR 19

Part No. H6B/V



### Cap Attachment

- Patented liquid & foam-filled cushions for better seal and lower pressure.
- Simple height adjustment.
- Wide ear cushions for comfort.
- Padded, wide headband for extended wear.
- Stainless steel headband wires evenly distribute cushion pressure.

(Hard hat not included.)



Part No. H7P3E

Part No.	Description	NRR
H6P3E/V	Low profile hearing protector helmet attachment for slotted cap	20
H10P3E	Dual cup helmet attachment	26
H9P3E	Standard helmet attachment	20
H7P3E	Deluxe helmet attachment	24

**Fall Protection**

**Safety Harnesses**

For more options, visit [www.Safewaze.com](http://www.Safewaze.com)



- SafeLight™**
- Vest style harness.
  - Single d-ring harness with quick with connect pass-through buckles.
  - One size fits all.
- Part No. 10910**



- WorkSafe™**
- Construction harness.
  - Adjustable back pad and chest strap.
  - Padded shoulder w/ lanyard keeper.
  - Available in S, M, L, XL ,2XL.
- Part No. 1311**



- Ameba™**
- Ameba stretch webbing.
  - Single d-ring harness.
  - Adjustable chest and grommet leg straps w/ lanyard keeper.
  - Available in S, M, L, XL.
- Part No. 1450**



- Saturn™**
- Welding harness.
  - Single d-ring harness.
  - Nomex® covered against 700° F char temperature rating.
  - Available in S, M, L, XL.
- Part No. 1020**



- Kinetic™**
- Welding harness.
  - Back d-ring harness.
  - Large back/shoulder pads for extra comfort.
  - Available in S, M, L, XL, 2XL.
- Part No. 7350E**

**Lanyards**



- Saturn™**
- 6' shock absorbing for welding.
  - Nomex® covered against 700° F char temperature rating.
- Part No. 3520**



- Safestop™**
- 6' of 1" nylon web.
  - Two locking snap hooks and shock absorber.
- Part No. 3512**



- SafeLight™**
- 6' tubular low profile.
  - Shock absorbing lightweight lanyard.
- Part No. 209712**



- SafeLight™**
- 6' nylon web with shock pack.
  - Shock absorbing lightweight lanyard.
- Part No. 209715**

**Fall Protection Kits**



- Economy**
- Includes 10910 harness, 209512 lanyard, and bag.
- Part No. 30500**



- Feather Plus**
- Includes a "tangle-free" harness, low profile lanyard, and bag.
- Part No. 30520**



- Ameba™**
- Contains Ameba 1450 stretch harness, TYBAK® II lanyard, and bag.
- Part No. 30511**

**Anchor Points and SRL's**



- THOR™**
- 7' self retracting lifeline.
  - Poly web.
  - Swivel hook aluminum carabiner included.
  - 1.9 lbs.
- Part No. 3307**



- Thunderbolt™**
- 10' cable self retracting lifeline.
  - Swivel hook and steel carabiner included.
  - 3.7 lbs.
- Part No. RLD-10S**



- Safeclaw**
- Reusable concrete anchor.
  - 5000 lbs. rated.
- Part No. 4075**



- Beamwalk**
- Anchor for I & H beams.
  - Always centers, slides along beam.
  - Lightweight.
- Part No. 4650-2**