COOPER

Shelf Pack

Soldering Kit / Heat Tint Removal Systems

Weller™ Soldering Professional D550PK Kit

8-piece heavy-duty soldering kit featuring the versatile Weller™ Model D550 soldering gun with tin plated heavy copper tip. Kit also includes:

CooperTools

- 1 sealing tip
- 1 cutting tip
- · 1 soldering tip
- · Flux brush
- Soldering aid tool
- Coil of lead free solder
- Sturdy plastic carrying case
- Soldering hints booklet
- · UL listed

Welding Accessories

6



Part No. D550PK

D550 Professional soldering gun 260/200 120 50/60 3 D550PK Professional soldering kit 260/200 120 50/60 3 SP40L 6 120 50/60 Marksman soldering iron 40

Watts

140/100

Volts ΗZ

50/60

120

DYNAFLUX, INC.

Heat Tint Removal Systems

- · Fast effective clean-up.
- Removes discoloration from heat affected weld zones on stainless steel and many other alloys.
- Eliminates the need for grinding, sanding and polishing.
- No dangerous acids or costly clean-up and disposal.
- Uses AC outlet.
- Machines come complete with 16 oz. cleaning solution and 6 replacement boots or pads.



Complete Machines

Description

Universal gun kit

Part No.	Description	Specifications
HTR121S	With spoon applicator	115 vac
HTR121R	With roller applicator	115 vac

Accessories

Part No.	Description
HTR120-3*	Spoon applicator replacement boots (1 case of 5 bags/6 boots per bag)
HTR120-3A	Spoon applicator replacement boots (6 boots per bag)
HTR120-8*	Roller applicator replacement pads (1 case of 5 bags/6 boots per bag)
HTR120-8A	Roller applicator replacement pads (6 boots per bag)
HTR120-06	6 x 16 fluid ounce bottles/case

^{*}sold per case



Lufkin® Measuring Tapes

Series 1000 Power Tape

- Improved high-visibility blaze orange and black graphics.
- Comfortable, rounded high impact case with easy to read blade.
- Top-positioned toggle lock for sure control.
- · Virtually unbreakable end hook.
- · Rubber shock absorber cushions blade return.
- Quad riveted end hook.



Part No.	Size	Shelf Pack	Replacement Blade
HV1010	1/2" x 10'	6	RY210
HV1012	1/2" x 12'	6	RY212
HV1312	3/4" x 12'	6	R2312
HV1316	3/4" x 16'	6	RW316
HV1325	3/4" x 25'	6	RY325
HV1425	1" x 25'	6	RY425
HV1430	1" x 30'	6	RY430

Series 2000 Power Tape

- The series 2000 has a lightweight, high strength chrome-finished case.
- The toggle lock is positioned to hold the blade securely in any position.
- Virtually unbreakable end hook, riveted for extra strength.
- · Quad end hook.



Part No. 2325

Part No.	Size	Shelf Pack	Replacement Blade
2210	1/2" x 10'	6	RY210
2212	1/2" x 12'	6	RY212
2312	3/4" x 12'	6	RW2312
2316	3/4" x 16'	6	RW316
2335ME	3/4" x 16'	6	RY35ME
2325	3/4" x 25'	6	RY325
2125	1" x 25'	6	RY425
2130	1" x 30'	6	RY430
2133	1" x 33'	6	RXL33

Hi-Viz® Orange Power Return Value Tape

- Lightweight, high strength, contour grip case fits comfortably in hand.
- · Hi-Viz® orange case easy to find on the job.
- · Unique slide lock design allows for easy control of tape blade.
- · Wide base helps keep tape standing upright.
- Removable belt clip.
- Fits easily in most tape holsters.
- Easy-to-read yellow clad blade (not replaceable).



Part No.	Description	Size	Shelf Pack
L525	Tape measure	1" x 25'	6
L525CME	Metric power tape	1" x 25'	6
L525SCTMP	Self centering tape	1" x 25'	6

Part No. L525SCTMP

Series 3000 Pro Series Tape

- Ny-Clad® blade coating extends blade life 5 times longer than standard.
- Patented end hook lasts 10 times longer than ordinary end hooks.
- Non-slip toggle lock allows complete control of power tape blade.
- Rubber cushion shell protects tape from impact and improves grip.
- Compact size for comfort and easy storage.
- · Removable belt clip.
- · Quad end hook.



Part No. PS3312

Part No.	Size	Shelf Pack
PS3312	3/4" x 12'	4
PS3316	3/4" x 16'	4
PS3425	1" x 25'	4
PS3430	1" x 30'	4
PS3435	1" x 35'	4



Specialty / Long Tapes

Quikread™ Power Return Tape

- Graduations printed in fractions and decimal equivalents.
- · Rounded blue case fits your hand for comfort.
- · Positive toggle lock holds blade securely at any length.
- Self-compensating end hook for inside and outside measurements.
- · Durable ABS case withstands rugged use on the job site.
- · Built in bumper reduces shock when blade is retracted.
- Quikread™ Blade



Part No.	Size	Shelf Pack
QR1425	1" x 25'	6
QR1316	3/4" x 16'	6
QR1312	3/4" x 12'	6

700 Series, Magnetic End Hook

- Magnetic end hook is a time-saver for framers, HVAC installers, and more.
- Use for one-man measurements of steel framing and drop ceiling grids.
- Powerful dual magnets can also serve as a pick-up tool.
- Non-slip co-molded rubber grip.
- Durable ABS case stands up to the toughest work site.
- · Non-slip rubber blade lock button.



Part No.	Size	Shelf Pack
L725MAG	1" x 25'	8
L748MAG	1" x 26'	8

Hi-Viz® Universal Long Tape

- Yellow clad blade, protected by high impact polystyrene case.
- Easy wind nylon drum.
- Hook ring is retained neatly in the contoured mouth of the case.
- Lightweight 0.005" thick steel blade with easy-to-read black and red markings.



Part No.	Size	Shelf Pack	Replacement Blade
0050	3/8" x 50'	6	OY50
100L	3/8" x 100'	6	0Y100

Part No. 100L

ProSeries 3:1 Ratio Long Steel Tape

- 3:1 gear ratio for fast blade retrieval.
- Precise, easy to read black and red blade markings.
- · Premium steel blade resists kinks.



Part No. PS100S

Part No.	Size	Shelf Pack
PS100S	3/8" x 100'	5

Home Shop Yellow Clad Tape

- · Vinyl covered steel case.
- · Yellow clad blade.
- · .005" thick blade.
- Large easy action winding drum with friction washers.
- · Fitted with a folding hook ring.



Part No. HW100

Part No.	Size	Shelf Pack
HW50	3/8" x 50'	6
HW100	3/8" x 100'	6

Banner® Yellow Clad Tape

- Professional tradesman's quality.
- Rugged, vinyl-covered steel case.
- Yellow clad tape; 3/8"/10mm wide and .008"/0.2mm thick.
- · Large easy action winding drum and friction washers.
- Nylon rollers guide the tape smoothly in and out of case.
- Bold graduations with black and red numbers for accurate measuring.
- H prefix denotes product blade is fitted with a folding hook ring.



Part No.	Description	Size	Shelf Pack
HW223	Tape measure	3/8" x 50'	6
HW233D	Engineer's tape	3/8" x 50'	1
HW226	Tape measure	3/8" x 100'	6

Part No. HW223



Measuring Tapes / Tool Sets

Executive® Diameter Pocket Tape

- Polished chrome case.
- Spring action returns blade to case.
- Shows diameter inches to 100ths.
- Conversion from diameter to circumference, simply turn the blade.
- Zero falls in the same place on each side of the blade.
- Easy-to-read bold graduations on yellow background.



Part No.	Size	Shelf Pack		
W606PD	1/4" x 6'	6		
W606	1/4" x 6'	6		

Folding Wood Rules: Red End® Series • Boxwood finish sections are 25% thicker than regular

- wood rules.
- Markings protected by clear abrasive resistant coating.
- Superior riveted lock joints are long wearing.



Part No. 066F



Part No. W606PD

Part No.	Size	Description	Shelf Pack
0066	5/8" x 6'	Outside markings	6
066F	5/8" x 6'	Inside markings	6
0966	5/8" x 6'	Two way reading	6
0X46	5/8" x 6'	Slide rule extension	6
0X48	5/8" x 8'	Slide rule extension	6

Crescent® Tool Sets

Sets contains all the tools needed for most industrial applications, including 1/4", 3/8", and 1/2" quick-release ratcheting drives, with a wide selection of standard and deep sockets in the most common SAE and metric sizes. All tools in this industrial-quality tool set meet stringent new ANSI and ASME specifications and come with a full satisfaction guarantee.

· All sets are packaged in a durable plastic case.

Part No.	Description
CTK70MP	70 piece socket and tool set
CTK148MP	148 professional tool set
CTK170MP	170 piece mechanics' tool set



Part No. CTK70MP



Part No. CTK148MP



Part No. CTK170MP

9



Aviation Snips / Hammers / Hacksaw Frames / Blades

Wiss™ MetalMaster® Snips

- . M1R cuts left from tight curves to straight.
- M2R cuts right from tight curves to straight.
- M3R cuts straight, left or right in light stock.
- · M5R cuts straight for notching or trimming extra heavy stock.

Wiss™ MetalMaster® Offset Snips

- . M6R left cut offset snips.
- . M7R right cut offset snips.



Part No.	Length		Length of Cut		Recommended Max	Shelf
	Inches mm		Inches	mm	Capacity Low Carbon Rolled Steel	Pack
0M1R			1-3/8	35		
0M2R	9-3/4	9-3/4 248			18 gauge steel	6
0M3R			1-1/2	38		
OM5R					16 gauge steel	
0M6R	9-1/4 235		1-1/4	32	10 maying atool	6
0M7R					18 gauge steel	

Part No. 0M3R

Ball Pein Hammers

- · Black ground head.
- · Polished peins.
- · Select quality hickory handle.
- Strong Permabond® handle to head attachment.



Part No.	Head Wt.		Overall Length		Wt. per Pack		Shelf	
rail NU.	OZ	g	Inches	mm	lbs	kg	Pack	
11496	8	170	11-1/4	286	4.8	2.18		
11498	16	454	12-3/4 324	10.0/4	204	7.8	3.54	
11499	20	567		10.2	4.63	6		
11520	24	681	4.5	377	12.0	5.44		
11521	32	908	15	311	15.0	6.80		

H.K. Porter Bolt Center Cutters







0090MC 0190MC 24" 0290MC 30" 0390MC 36"

Part No.

1490MC

0590MC

Size

14"

18"

42"

Part No. 0190MC

Part No. 0590MC

Nicholson® Hacksaw Frames

Adjustable hacksaw frame is corrosion proof, polished nickel with 3-3/8" throat, adjustable for 10" or 12" blades. Molded plastic handle. Rear bolt has wing nut for easy tensioning of blade. Each frame is individually packed with a 10" Nicholson® blade.

Part No. 80952



General purpose, adjustable hacksaw frame is sturdy, bright chrome frame with 3-1/2" throat. Handle is molded plastic. Blade holding bolt is equipped with large wing nut tightener. Assembled with 10" Nicholson® blade.

Part No. 80951



Nicholson® 4-In-1 Pro Series Hacksaw Frame

- Standard 90 degree for general use.
- 45 degree angle for flush cuts.
- · Low profile position for tight spaces.
- · Jab saw configuration for a variety of inside cuts.
- High tension for tightening the blade up to 30,000 PSI.
- · Cushion grip handle for better control and comfort.
- · Magnetic blade storage inside frame.

Hand Hacksaw Blades

Part No. 80975





Nicholson® S ACT NO. EDGE Bi-Metaloy® 18 TEXTH ATTACK TO ...

Fait NO. 02723								
Туре	Boxed Part No.	Carded Part No.	Set Type	Length (" / mm)	Width (" / mm)	Gauge (" / mm)	Teeth (per inch)	
	62723	62826	Wavy	12 / 304	1/2" / 12.70	.025 / .65	18	
Bi-Metaloy®	62749	62832	Wavy	12 / 304	1/2" / 12.70	.025 / .65	24	
	62776	62839	Wavy	12 / 304	1/2" / 12.70	.025 / .65	32	
Special shatterproof standard flexible	63145	63256	Wavy	12 / 304	1/2" / 12.70	.025 / .65	18	
	63158	63268	Wavy	12 / 304	1/2" / 12.70	.025 / .65	24	



Nicholson® Files / Utility Knife

Mill Bastard Files

For sharpening mill and circular saws. Also for draw-filing and finishing metals. All sizes tapered slightly in width. Two square edges. Single-cut on sides and edges.





Part No.	Length		Wt per Doz	Chalf Dools	
ran Nu.	Inches	mm	lb, oz	g	Shelf Pack
08243N	4	100	0, 8	227	
08354N	6	150	1, 3	539	12
08497N	8	200	2, 12	1247	
21694H	8	200	2, 0	907	6
08642N	10	250	5, 7	2466	12
08737N	12	300	9, 1	4111	6
08832N	14	350	14, 00	6350	0

Flat Files

Flat files are used for rapid removal of metal. They are rectangular in cross section and taper slightly towards point in width. Double-cut on both sides, single-cut on both edges.



Part No.	Length		Description	Wt Per Do	Shelf	
rail Nu.	Inches	mm	Description	lb, oz	g	Pack
03566N	8	200	Bastard	7, 3	3261	12
21748H	0	200	Dasidfu	2, 3	936	6
03665N	10	050	Bastard	7, 3	3261	
03731N	10	250	Smooth		3201	
03764N	10	300	Bastard	11 /	5103	6
03830N	 12	300	Smooth	Smooth 11, 4		
03863N	14	350	Bastard	16, 10	7541	

Round Files

Principal use is to file circular openings or concave surfaces. Tapered slightly towards point. All 6", 8", 10" and 12" files are single cut. The 14" bastard file is double cut.

Part No. 11716N

Part No.	Length		Description	Wt per Do	Shelf			
Turt ito.	Inches	mm	Document	lb, oz	g	Pack		
11716N	6	150	Bastard	0, 14	397	12		
11904N	8	0	0.000	000	Dootoud	1 0	CO 4	12
21715H		200	Bastard	1, 6	624	6		
12019N	10	250	Bastard	3, 3	1446	12		
12134N	10	200	Bastard	C 10	2000	C		
12199N	12	300	Smooth	6, 13	3090	6		
12248N	14	350	Bastard	11,15	5415	6		

Half Round Files

Rounded on one side, flat on the other. Used on concave and convex as well as flat surfaces. Backs of all half round bastard files are double-cut. The backs of the half round smooth files are single-cut. The flat sides of all half round files are double-cut. The Pipeliner is single-cut on the back and on the flat side. Wooden Handle (#21470N) available for #05194N file.



Part No. 21470N

Part No.	Length		Description	Wt per D	Shelf		
rail NU.	Inches	mm	Describtion	lb, oz	g	Pack	
04896N	8	200		3, 5	1503	12	
21745H	0	200	Bastard	2, 7	1106	6	
04995N	10	250		6, 1	2750	b	
05094N	4.0	10	200	Bastard	10 0	4763	
05158N	12	300	Smooth	10, 8	4/03	6	
05190N	14	350	Pipeliner	16 4	7371	0	
05194N	14	330	Bastard	16, 4	73/1		
05090N	12	300	Dootord				
05307N	16	400	Bastard				

Welder File Kits

3-Piece

Kit includes:

- 14"/350mm half-round pipeliner file
- 12"/300mm half-round bastard file
- 10"/250mm mill smooth file

Part No. 22036N



5-Piece General Purpose

Kit includes:

- 10"/250mm half-round bastard file
- 10"/250mm mill bastard file
- 8"/200mm mill bastard file
- 8"/200mm mill smooth file
- 6"/150mm slim taper file

Part No. 22040N

Part No. 22040HN- Ergonomic Handles



Wiss® Retractable Utility Knife, with 3 Blades

- DIY, professional and industrial uses.
- Popular all-purpose retractable knife.
- · Easy-run slide uses all standard replacement blades.

Part No. WK8V





Locking Pliers and Pliers

Crescent® Locking Tools

- Maximum jaw opening per ASME specs.
- Patented angled tooth pattern for better grip.
- Nickel-plated finish resists rust and corrosion.
- Compound action for powerful non-slip locking grip.
- Long nose with wire cutter gets to hard-to-reach spots.
- Versatile curved jaw also features integral wire cutter.
- Locking C-clamps are faster and easier to use than standard clamps.




Part No. C10SV



Part No. C6NV



Part No. C8SMV



Crescent™ Clamps

Crescent™ Locking Tools

Part No.	Description
C6CCV	6" locking 'C' clamp w/ regular tips
C6CCSV	6" locking 'C' clamp w/ swivel pads
C11CCV	11" locking 'C' clamp w/ regular tips
C11CCSV	11" locking 'C' clamp w/ swivel pads
C18CCV	18" locking 'C' clamp w/ regular tips
C18CCSV	18" locking 'C' clamp w/ swivel pads

(includes C7RV and C10RV)



Solid Joint Pliers Diagonal Cutting

- 542 Series-Designed for heavy duty wire cutt
- Long lasting cutting edges.
- · Handle designed for comfortable grip.
- · Made from forged alloy steel.
- 942 series designed for general purpose cutting.

Side Cutting

- A sturdy tool for electrical work.
- Keen edged cutters and spring tempered handles for general purpose use.

Long Chain Nose Side Cutting

- · Long nose reaches into tight places.
- · Fine serrated jaws.
- · Keen cutters.
- · Made from drop-forged alloy steel.



Part No. 508CVN



Part No. 6546CVSMLN

Part No.	Description	Length	Shelf	
Part No.	Description	Inches	mm	Pack
5427CVN	Heavy duty diagonal cutting	7	175	
5428CVN	Heavy duty diagonal cutting	8	200	6
9426CVN	Gen. Purpose diagonal cutting	6	150	

Part No.	Description	Length	Shelf	
Part No. Description	Describuon	Inches	mm	Pack
508CVN	Side cutting/ Linesman	8-5/16	211	6

Part No.	Description	Length	Shelf		
rait NU.	Describition	Inches	mm	Pack	
6546CVSMLN	Long nose side cutting	6-5/8	168	c	
6547CVN	Long nose side cutting	7-1/2	191	91	

Slip Joint Pliers Cee Tee Co.® Combination

- Drop-forged steel, hardened and tempered.
- · Bright plated finish.
- · Machined gripping teeth.
- · Wire cutter.
- Knurled handles.

Motor Kit Combination

- · Polished steel, chromium plated.
- · Machined gripping teeth.
- · Wire cutter.
- · Knurled handles.



Part No. H26V



Part	Nο	G28V

Part No.	Length		Jaw Opening		Shelf Pack	
rail No.	Inches	mm	Inches	mm	Sileli Fack	
H26V	6-1/2	165	4	05	6	
H28V	8	200]	25		

Dart No	Part No.		Jaw Oper	ning	Shelf Pack
rail NU.	Inches	mm	Inches	mm	SHEII FACK
G26V	6-1/2	165	1	25	6



Crescent® Wrenches / Pliers / Crescent® Screwdrivers

Adjustable Wrenches Chrome Finish

- · Chromium plated to resist corrosion and rust.
- · Regular handle.

Black Phosphate Finish

- Regular handle.
- · Non-slip grip.
- · Corrosion resistant finish.



Part No. AC16V





Part No.	Length		Jaw Op	Shelf		
Tart No.	Inches	mm	Inches	mm	Pack	
Chrome						
AC16V	6	150	3/4	19	6	
AC18V	8	200	1-5/16	24	6	
AC110V	10	250	1-1/8	29	6	
AC112V	12	300	1-5/16	33	6	
AC115	15	380	1-1/16	43	1	
Black Phosphate						
AT16V	6	150	3/4	19	6	
AT18V	8	200	1-5/16	24	6	
AT110V	10	250	1-1/8	29	6	
AT112V	12	300	1-5/16	33	6	

Part No.	Length		Jaw Ope	Shelf		
Fart No.	Inches	mm	Inches	mm	Pack	
Black Phosphate						
AT10SPUD	10	250	1-1/8	29	1	
AT115SPUD	15	381	1-1/2	38	1	

Tongue & Groove Pliers

Versatile utility pliers, ideal for objects of all shapes, including rods, pipes, hose and cable connections. Drop-forged, precision machined from the finest quality tool steel.



Part	Nια	ספס	CV
PAIL	MII	n//	ı.v

Part	Length		Jaw Op	ening	No. of Jaw	Shelf
No.	ln.	mm	Inches	mm	Positions	Pack
R27CV	7	178	1-1/8	28	4	6
R210CV	10	250	1-1/2	38	5	6
R212CV	12	300	2-3/8	60	6	6

Series 2000 Screwdrivers

Patented Crescent® "Driveshaft" tip is concave, resulting in a much greater contact area within the screw slot and virtually no tendency to cam-out. A revolutionary alloy steel is incorporated into the Phillips blades to extend tip life.

All tips are vapor blasted to eliminate chipping. The tapered, ergonomically designed, cushion grip handle is made of genuine rubber which is interlocked into the butyrate core to give more power and a comfortable grip. For easy identification, the grip end is printed with a graphic of the type of tip, either slotted or Phillips.





Electrician's Round Part No. 22433



Mechanic's Square Part No. 23438

Part No.	Blade Length		Blade Diameter		Overall		Shelf Pack
	ln.	mm	In.	mm	Inches	mm	rauk
Mechanic	's Ro	und					
21434	4	100	1/4	6	8-3/8	213	6
21436	6	150	5/16	8	11	279	6
21438	8	200	3/8	10	13-1/2	343	6
Electricia	n's R	ound					
22433	3	76	3/16	5	6-3/4	171	6
22436	6	150	3/16	8	9-3/4	248	6
Mechanic's Square							
23434	4	100	1/4	6	8 -3/8	213	6
23436	6	150	5/16	8	11	279	6
23438	8	200	3/8	10	13-1/2	343	6

All screwdrivers are sold in carded skin packs.

10-Piece Screwdriver Set

- Crescent® Series 2000 screwdriver set.
- Set Includes part numbers: 22434, 22436, 24014, 2522, 25013, 25024, 21434, 21438, 23434.
- · Available in convenient reusable plastic pouch.

Part No. 2010







Chain & Chain Accessories / Plugs and Receptacles

Campbell[®]

Proof Coil Chain/ Grade 30



Part No. 0120422

High Test/ Grade 40



Part No. 0180412

Transport/ Grade 70



Part No. 0510612



Part No.	Working Load Limit (lbs)	Size	Grade	Description	Packaged
0120422	1300	1/4"	30	Proof coil chain	800' drum plated
0120622	2650	3/8"	30	Proof coil chain	550' drum plated
0180412	2600	1/4"	40	System 4	800' drum self color
0180612	5400	3/8"	40	System 4	400' drum self color
0510612	6600	3/8"	70	System 7	400' drum yellow

Load Binders



Part	No.	6203604

Part No. 6207803

Part No.	Description	Size
6203604	Double swivel, imported	5/16" - 3/8"
6207504	Ratchet, imported	5/16" - 3/8"
6207803	Ratchet, imported	3/8" - 1/2"

Anchor Shackles

Drop Forged, Self-Colored



Part No. 5410605

Size	Working Load Limit (tons)
1/4"	1/2
5/16"	3/4
3/8"	1
7/16"	1-1/2
1/2"	2
5/8"	3-1/4
3/4"	4-3/4
7/8"	6-1/2
1"	8-1/2
1-1/4"	12
	1/4" 5/16" 3/8" 7/16" 1/2" 5/8" 3/4" 7/8"

Clevis Grab Hooks



Part No. 4503315

Part No.	Description	Size	Working Load Limit (lbs)
4500404	Carbon steel	1/4"	2600
4500504	Carbon steel	5/16"	3900
4500604	Carbon steel	3/8"	5400
4500804	Carbon steel	1/2"	9200
4503315	Alloy steel	1/4"	4100
4503415	Alloy steel	5/16"	5100
4503515	Alloy steel	3/8"	7100
4503715	Alloy steel	1/2"	12000

SAC Plate Clamp



Part No. 6421000

Part No.	Size	Working Load Limit (tons)
6421000	0 - 1"	1
6421001	0 - 2"	3
6421002	0 - 3"	6

EAGLE Plugs and Receptacles

Power Plugs

- Meets all UL 498 requirements.
- Furnished with blades for 30 and 59 amp configurations.
- Terminals have pressure plates to protect wires.
- · Made in U.S.A.



Part No. 0080

Part No.	Description	Rating	Std/Ctn
0021	Plug S21-SP	NMEA14-30 125/250V	1/10
0042	Angle Universal Vinyl 2 Pole, 3 Wire Grounding	50 A/250 V	1/10
0800	Angle Universal Vinyl 3 Pole, 3 Wire Non-Grounding	50-125/250V	1/12

Receptacles

- Meets all UL 498 requirements.
- Heavy gauge steel mounting strap zinc-plated for corrosion resistance.
- For use with copper or aluminum wire, 75° C rated terminals.
- Surface receptacles have patented lay-in terminals and accept up to #4 wire.
- Surface receptacles 3/4" and 1" concentric knockouts and adjustable cord.
- Clamp allows for wiring from bottom or back.
- · Made in the U.S.A.



Part No. 1252

Part No.	Description	Rating	Std/Ctn
112BK	3 Pole, 3 Wire Receptacle	50 A-125/250 V	1/10
1252	2 Pole, 3 Wire Receptacle	50 A/250 V	1/10